


FORM PTO-1449 U.S. Department of Commerce
Patent and Trademark Office

Attorney Docket Number
PM0045 CON

Serial No.
10/761,794

LIST OF DOCUMENTS CITED BY APPLICANT



(Use several sheets if necessary)

Applicants: Bastiaan Driehuys

Filing Date Jan. 21, 2004

Group
1616

U. S. PATENT DOCUMENTS

Examiner Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
AA	5,545,396	08/13/96	Albert et al.	424	93	
	5,617,860	04/08/97	Chupp et al.	128	653.4	
	5,642,625	07/01/97	Cates, Jr. et al.	62	55.5	
	5,809,801	09/22/98	Cates, Jr. et al.	62	637	
	5,936,404	08/10/99	Ladebeck et al.	324	300	
	6,033,645	03/07/00	Unger, et al.	424	9.5	
	6,051,208	04/18/00	Johnson et al.	424	9.3	
	6,079,213	06/27/00	Driehuys et al.	62	3.1	
	6,237,363	05/29/01	Zollinger et al.	62	600	
	6,338,836	01/15/02	Kuth, et al.	424	9.3	
	6,370,415	04/09/02	Weiler, et al.	600	410	

FOREIGN PATENT DOCUMENTS

Document Number	Date	Country	Class	Subclass	Translation Yes No
WO 97/37239	10/97	PCT			
WO99/07415	11/08/98	PCT			
WO 99/25243	27/05/99	PCT			
WO99/47940	23/09/99	PCT			
WO 99/52428	21/10/99	PCT			
WO 99/53332	12/10/99	PCT			
GB2091884	04/08/82	United Kingdom			
WO 00/23797	27/04/00	PCT			
WO00/40972	13/07/00	PCT			
WO01/74246	11/10/01	PCT			
WO02/04709	17/01/02	PCT			
EP0933062	04/08/99	EP			

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Albert et al., "Measurement of ^{129}Xe T1 in Blood to Explore the Feasibility of Hyperpolarized ^{129}Xe

EXAMINER
*EXAMINER

DATE CONSIDERED 10-4-06

Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office		Attorney Docket Number PM0045 CON	Serial No. 10/761,794
LIST OF DOCUMENTS CITED BY APPLICANT			
(Use several sheets if necessary)			
		Applicants: Bastiaan Driehuys	
		Filing Date Jan. 21, 2004	Group 1616
		MRI," Jour. Comp. Ass. Tomography, Vol. 19, No. 6 (Nov.-Dec. 1995).	
		Bárány, M. et al., "High Resolution Proton Magnetic Resonance Spectroscopy of Human Brain and Liver," Magn. Reson. Imaging, 5:393 (1987).	
		Bifone, et al., "NMR of laser-polarized xenon in human blood," Proc. Natl. Acad. Sci. USA, Vol. 93, pp. 12932-12936 (November 1996).	
		Brookeman, J.R., "MRS and MRI of Hyperpolarized ¹²⁹ Xe: Studies in Human Volunteers," Proc ISMRM (1998)	
		de Lange et al., "Lung Airspaces: MR Imaging Evaluation with Hyperpolarized Helium-3 Gas," Radiology 210, 851-857(1999).	
		Diehl et al., "Nuclear Magnetic Relaxation of the ¹²⁹ Xe and ¹³¹ Xe Isotopes of Xenon Gas Dissolved in Isotropic and Anisotropic Liquids," J. Magn. Reson., Vol. 88, pp. 660-665 (1990).	
		Donnelly et al., "Cystic Fibrosis: Combined Hyperpolarized 3He-enhanced and Conventional Proton MR Imaging in the Lung—Preliminary Observations," Radiology 212 (September 1999), 885-889 (1999).	
		Goodson et al., "In vivo NMR and MRI Using Injection Delivery of Laser-Polarized Xenon," 94 Proc. Natl. Acad. Sci. USA, pp. 14725-14729 (1997).	
		Grover, B.D., "Noble-Gas NMR Detection through Noble-Gas-Rubidium Hyperfine Contact Interaction," Phys. Rev. Lett., Vol. 40, No. 6, pp. 391-392 (1978).	
		Hou, et al., "Optimization of Fast Acquisition Methods for Whole-Brain Relative Cerebral Blood Volume (rCBV) Mapping with Susceptibility Contrast Agents," J. Mag. Res. Imaging, Vol. 9 pp. 233-239 (1999).	
		Il'yasov et al., " ¹²⁹ Xe NMR in Study of Tissues and Plants," Appl. Magn. Reson. Vol. 17, pp. 17-84 (1999).	
		Jameson et al., "Nuclear Spin Relaxation by Intermolecular Magnetic Dipole Coupling in the Gas Phase. ¹²⁹ Xe in Oxygen," J. Chem. Phys., Vol. 89, p. 4074-4081 (1988).	
		Kaatz et al., "A comparison of molecular hyperpolarizabilities from gas and liquid," J. Chem. Phys., Vol. 108, No. 3, pp. 849-856 (1/15/98).	
		Kaiser, et al., "Diffusion and field-gradient effects in NMR Fourier spectroscopy," J. Chem. Phys., Vol. 60, No. 8, pp. 2967-2979 (15 April 1974).	
		MacFall et al., "Human Lung Air Spaces: Potential for MR Imaging with Hyperpolarized He-3 ¹ ," Radiology, Vol. 200, No. 2, pp. 553-558 (1996).	
		Mansfeld et al., "The use of ¹²⁹ Xe NMR exchange spectroscopy for probing the microstructure of porous materials," Chem. Phys. Ltrs., Vol. 213, No. 1, 2, pp. 153-157 (1 October 1993).	
		Martin, "The Pharmacokinetics of Hyperpolarized Xenon: Implications for Cerebral MRI," Jour. Magn. Reson. Imag., Vol. 7, No. 5, pp. 848-854 (Sep.-Oct. 1997).	
		McAdams et al., "Hyperpolarized 3He-Enhanced MR Imaging of Lung Transplant Recipients: Preliminary Results," AJR 173, 955-959 (1999).	
		Miller et al., "Xenon NMR: Chemical shifts of a general anesthetic common solvents, proteins, and membranes", Proc. of the Nat. Acad. of Sci. (USA), Vol. 78, No. 8, pp. 4946-4949 (August 1981).	
		Miller, " ¹²⁹ Xe NMR in Polymers," Rubber Chem. And Tech., Vol. 66, pp. 455-461 (1993).	

EXAMINER
*EXAMINER

DATE CONSIDERED

10-9-06

Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office		Attorney Docket Number PM0045 CON	Serial No. 10/761,794
LIST OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary)		Applicants: Bastiaan Driehuys	
		Filing Date Jan. 21, 2004	Group 1616
✓	1	Möller et. al., "Magnetic Resonance Angiography with Hyperpolarized ^{129}Xe Dissolved in Lipid Emulsion," 41 Mag. Res. Med. No. 5, pp. 1058-1064 (1999).	
	4	Moschos, A. et al., "Communications Nuclear Magnetic Relaxation of Xenon-129 Dissolved in Organic Solvents," J. Mag. Reson., Vol. 95, pp. 603-606 (1991).	
	5	Mugler, III et al., "MR Imaging and Spectroscopy Using Hyperpolarized ^{129}Xe Gas: Preliminary Human Results," 37 Magn. Reson. In Med., Vol. 37, No. 6, pp. 809-815 (1997).	
	6	Patyal, "Longitudinal Relaxation and Diffusion Measurements Using Magnetic Resonance Signals from Laser-Hyperpolarized ^{129}Xe Nuclei," J. Magn. Reson., Vol. 126, No. 1, pp. 58-65, May 1997.	
		Pietraß et al., "Optically Polarized ^{129}Xe in NMR Spectroscopy," Advanced Materials, pp. 826-838 (1995)	
	8	Raftery, et al., "High-Field NMR of Adsorbed Xenon Polarized by Laser Pumping," Phys. Rev. Lett., Vol. 66, No. 5, pp. 584-587 (4 February 1991).	
	9	Rosen et al., "Polarized ^{129}Xe optical pumping/spin exchange and delivery system for magnetic resonance spectroscopy and imaging studies, Rev. Sci. Instrum., Vol. 70, No. 2, pp. 1546-1552 (February 1999).	
		Ruppert et al., "NMR of hyperpolarized ^{129}Xe in the canine chest: spectral dynamics during a breath-hold," NMR Biomed., Vol. 13, pp. 220-228 (2000).	
		Schoenborn, "Binding of Xenon to Horse Haemoglobin," Nature, Vol. 208, pp. 760-762 (November 20, 1965).	
		Swanson et al., "Brain MRI with Laser-Polarized ^{129}Xe ," Mag. Res. Med., Vol. 38, pp. 695-698 (1997).	
		Tilton, Jr., et al., "Nuclear Magnetic Resonance Studies of Xenon-129 with Myoglobin and Hemoglobin," Biochemistry, Vol. 21, No. 26, pp. 6850-6857 (1982).	
		Tseng et al., "NMR of Laser-Polarized ^{129}Xe in Blood Foam," J. Mag. Res., Vol. 126, pp. 79-86 (1997).	
		Wolber et al., "Spin-lattice relaxation of laser-polarized xenon in human blood," 96 Proc. Natl. Acad. Sci. USA, pp. 3664-3669 (March 1999).	
		Wolber et al. "In vivo hyperpolarized ^{129}Xe spectroscopy in tumors," Proc. Int'l. Mag. Reson. Med. 8, 1440 (2000).	
		Wolber et al. "In vivo hyperpolarized ^{129}Xe spectroscopy in tumors," Mag. Reson. Med. 46, pp. 586-591 (2001).	
		Albert, et.al., "Susceptibility Changes Following Bolus Injections", Appendix B reprint from Magnetic Resonance in Medicine 29 700-708 (1993)	
		Belliveau et.al., "Functional Cerebral Imaging by susceptibility-Contrast NMR, dated December 7, 1989; Magnetic Resonance in Medicine 14, 538-546 (1990)	
	2	Chupp, et.al., "Chemical Shift Imaging of Laser-Polarized ^{129}Xe Magnetization in Rats In Vivo", European Radiology 9:B45 (1999)	
	2	Driehuys, et.al., "Surface Relaxation mechanisms of Laser-Polarized ^{129}Xe ", Physical Review Letters Vol. 74, Number 24, pg 4943-4946, dated June 12, 1995	
	2	Gao, et.al., "Magnetization and Diffusion Effects in NMR Imaging of Hyperpolarized Substances", MRM	

EXAMINER
*EXAMINER

DATE CONSIDERED


10-9-06

Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office LIST OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary)		Attorney Docket Number PM0045 CON	Serial No. 10/761,794
		Applicants: Bastiaan Driehuys	
		Filing Date Jan. 21, 2004	Group 1616
		37:153-158 (1997)	
YAS		Luhmer, et.al., "Study of Xenon Binding Cryptophane-A Using Laser-Induced NMR Polarization Enhancement", J. Am. Chem. Soc. 3/30/1999, 121, 3502-3512	
		Mazitov, et.al., "NMR Spectroscopy of ^{129}Xe Dissolved in Tissues of Animals and Plants in vitro: Effect of Tissue with Cancer" Doklady Biophysics Vols 364-366, 1999	
		Yablonskiy et.al., "Quantitative in vivo assessment of lung microstructure at the alveolar level with hyperpolarized ^3He diffusion MRI" www.pnas.org/cgi/doi/10.1073/pnas.052594699 , PNAS, March 5, 2002, Vol 99, No 5, 3111-3116	
		Driehuys, et.al., Diagnostic Procedures Using Direct Injection of Gaseous Hyperpolarized ^{129}Xe and Associated Systems and Products, January 17, 2002, Publ. No. US2002/0006382A1	

 EXAMINER
 *EXAMINER

DATE CONSIDERED



20-4-06

Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.